ULAR
SNAKE

ULAR BULUH MERAH / RED BAMBOO SNAKE

Nama Saintifik: Oreocryptophis porphyraceus



Oreocryptophis porphyraceus adalah spesis ular tikus, yang biasa dipanggil ular perhiasan berjalur hitam, ular buluh merah atau pelumba gunung merah, ditemui di ketinggian pertengahan hingga ke atas bukit berhutan di Asia Tenggara, dari hutan tropika malar hijau hingga hutan bermusim kering bergantung kepada subspesis dan lokaliti. Ia adalah satu-satunya ahli jenis Oreocryptophis.

Oreocryptophis porphyraceus is a rat snake species, commonly called the black-banded trinket snake, red bamboo snake or red mountain racer, found in mid to upper-level elevations of forested hills in southeastern Asia, ranging from evergreen tropical to dry seasonal forests depending on the subspecies and locality. It is the only member of the genus Oreocryptophis.

ULAR PETOLA ATAU ULAR SAWA BURUNG / PARADISE FLYING TREE SNAKE

Nama Saintifik: Chrysopelea paradisi



Ular terbang ini sedikit berbisa, tetapi dianggap tidak berbahaya kerana toksiknya tidak membahayakan manusia. Ia boleh, seperti semua spesies genus Chrysopelea, meluncur dengan meregangkan badan menjadi jalur leper menggunakan tulang rusuknya.

These flying snakes are slightly poisonous, but they are considered harmless to humans because their toxins do not pose a threat. Like all species of the genus Chrysopelea, they can glide by stretching their bodies into flat strips using their ribs.

ULAR
SNAKE

ULAR KAPAK TOKONG / WAGLER'S PIT VIPER

Nama Saintifik: Tropidolaemus wagleri

Ular Kapak Tokong betina dewasa mempunyai kepala besar dan berwarna hijau dan hitam dengan jalur kuning, hijau muda dan bintik hitam. Sesetengah ular jantan dewasa dan juga anak ular berwarna hijau terang. Patukan ular ini kurang berbahaya tetapi boleh menyebabkan kesakitan dan bengkak.




Wagler's Pit Viper snakes have large heads and are primarily green and black, adorned with yellow and light green stripes, as well as black spots. Some adult males and even young snakes may exhibit bright green coloring. While their bites are less dangerous, they can still cause pain and swelling.

ULAR PUCUK ATAU ULAR DAUN / ORIENTAL WHIPSNAKE

NAMA SAINTIFIK: AHAETULLA PRASINA

Ular ini bisanya hanya boleh membunuh haiwan-haiwan kecil seperti katak dan burung-burung kecil sebagai sumber makanannya. Jika merasa terganggu, ular ini akan melengkungkan lehernya hingga membentuk seperti huruf "S" lalu memipihkan lehernya, sehingga kelihatan tepian sisik yang berwarna hitam, putih atau biru pucat untuk menjauhkan musuhnya.



The Oriental Whipsnake typically preys on small animals like frogs and small birds for food. When disturbed, this snake will arch its neck into an 'S' shape and flatten it, revealing the black, white, or pale blue edges of its scales as a defensive mechanism to deter potential threats.

ULAR
SNAKE

ULAR KAPAK EKOR MERAH / POPE'S PIT VIPER

NAMA SAINTIFIK: TRIMERESURUS POPEIORUM

Dikenali juga dengan nama ular berekor merah. Badannya berwarna hijau dan hujung ekor berwarna merah. Pada tepi badan terdapat garis berwarna pucat.Panjang satu meter dan ular ini jenis reptilia bertelur. Biasanya dijumpai di Cameron Highlands dan tempat berbukit di Semenanjung Malaysia




Also known as the red-tailed snake, this reptile has a green body with a red tail tip and a pale-colored line along its body's edge. Measuring about one meter in length, this snake is an egg-laying species. It is commonly found in Cameron Highlands and hilly areas throughout Peninsular Malaysia.

ANAK ULAR SAWA / RETICULATED PYTHON

NAMA SAINTIFIK: PHYTON RETICULATUS

Tinggal di hutan hujan tropika, hutan belukar dan kawasan padang rumput. Ia juga biasa dijumpai di kawasan sungai dan tasik. Ia juga perenang yang mahir dan boleh membesar dengan berat sehingga 60 kg dan panjang hampir 7 meter. Ular Sawa Batik membiak dengan ular betina mengeluarkan 15 hingga 80 biji telur dalam suatu masa.

This species inhabits tropical rainforests, scrub forests, and grasslands, and is frequently encountered in river and lake environments. Known for its adept swimming abilities, it can reach weights of up to 60 kg and lengths approaching 7 meters. Female snakes typically lay clutches of 15 to 80 eggs at a time.



ULAR
SNAKE

ANAK KING COBRA / KING COBRA

NAMA SAINTIFIK: OPHIOPHAGUS HANNAH

Mempunyai bisa yang boleh membawa maut dan sangat aktif di waktu siang. Mampu mengeluarkan bisa dalam kuantiti maximum 10ml. Ianya dipercayai anak ular tedung selar mengeluarkan jumlah bisa yang banyak kerana belum mampu untuk mengawal pengeluaran bisanya.

This species possesses deadly venom and is highly active during the day. It can produce venom in quantities of up to 10 ml. It is believed that baby cobras emit a significant amount of venom because they have not yet developed control over their venom production.



